



Dart Hawkesbury  
1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada  
Tel (613) 632-5200

## Purchasing Receipts

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Container No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplier Name
PO040324	MEC002-VU	1	1	Net 30	M7075T6S0.625X10.000	7075-T6S Sheet 0.625" Thick Plate X 10" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A- 250/12 OR AMS-QQ-A- 250/12 OR AMS 4045 OR ASTM B209 receive ft				8	7/19/2018	8		S094150	Stock	7/19/2018	\$ 74.65 / ft	0		\$597.20	Metaux Castle
<b>Total:</b>												8									\$597.20

Plex 7/19/2018 4:14 PM dart.Tollis.Andrew


**INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE**

Page 1 of 2

Shipment No:3638132

<b>Ship From:</b> A. M. CASTLE & CO. 14001 ORANGE AVENUE PARAMOUNT, CA 90723 USA		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 02-JUL-18		<b>F.O.B.</b> ORIGIN		<b>Freight Terms</b> Prepaid		<b>Carrier</b> YRC	
						<b>BOL No</b> 3638132-2	

**Shipment Details**

<b>Final Destination Branch - TOR</b>							
<b>Order No</b> 5181819	<b>Line No</b> 1	<b>Item No</b> 750126.MO	<b>Description</b> 0.6250.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT RECTANGLE TO 10 IN ( + .1250/- .0000 IN) X 96 IN ( + .1250/- .0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12				
<b>Purchase Order No</b> 40324		<b>Part Number</b>		<b>Ordered Qty</b> 1.00 PCS		<b>Invoice Qty</b> 1.00 PCS	
<b>Details</b> ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@artaero.com END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS							
<b>Delivery No.</b> 121921480	<b>Mill/Source</b> KAISER ALUMINUM	<b>Heat Number</b> 	<b>Mech Id</b>	<b>PCS</b> 1	<b>Width (IN)</b>	<b>Length (IN)</b>	<b>Shipped Qty(LBS)</b> 62.3453

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Date Printed: 02-JUL-2018 04:41:36 PM

INTERORG TRANSFER  
PACKING SLIP/  
CERTIFICATE OF CONFORMANCE

Page 2 of 2

Reviewed by Authorized Castle Metals Representative:	Date:	Name:
--	-------	-------

*Anthony Anderson*

Anthony Anderson





Dart Aerospace Ltd.  
1270 Aberdeen St  
Hawkesbury, ON  
K6A 1K7  
Canada

Tel (613) 632-5200

# **PURCHASE ORDER** **PO040324**

**Supplier:** MEC002-VU  
Metaux Castle  
P.O. Box 4090 Stn A  
Toronto  
ON  
M5W OE9 Canada

**PO No:** PO040324

**PO Date:** 6/25/18

**Due Date:** 7/19/18

**Purchase Order**

**Revision:**

**Revision Date:**

**Ship-To Contact:** Lavoie, Chantal  
clavoie@dartaero.com

**Ship To:** 1270 Aberdeen Street  
Hawkesbury  
ON  
K6A 1K7 Canada  
Phone: 613-632-5200

**Via:** Ground

**Pynt Terms:** Net 30

**Freight Terms:**

**Special Comments:**

**E-MAILED**  
JUN 26 2018

## **Items**

Line Item	Job	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1 AI		M7075T6S0.625X10.000		7075-T6S Sheet 0.625" Thick Plate X 10" Wide : MATERIAL: 7075-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 receive ft	Firmed	7/19/18	8 ft ✓ 8 ft	0 ft	8 ft	\$74.65/ft AI 18/07/19	\$597.20
Grand Total:											\$597.20

## Chantal Lavoie

---

**From:** Desbiens, Marc <mdesbien@amcastle.com>  
**Sent:** Friday, June 22, 2018 3:00 PM  
**To:** Chantal Lavoie  
**Subject:** RE: QUOTE

Hi Chantal,

price and delivery on mat'l.

7075t6 bar or plate 0.625" x 10" x 8 ft

\$ 74.65 FT 3 weeks

Thanks

Marc Desbiens  
Inside sales representative  
Castle Metals, Montreal, QC  
Direct line 514-795-8176  
1-800-806-6660 ext 52226  
Fax # 1-855-892-6370

*Customized Supply Chain Solutions for Your Metal Needs*

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.

---

This e-mail message has been scanned by SEG Cloud

---

## Chantal Lavoie

---

**From:** David Duval  
**Sent:** Thursday, June 21, 2018 1:07 PM  
**To:** Kim Johnston; Chantal Lavoie  
**Cc:** Daniel Paquette  
**Subject:** 4.5NR-6 material

Hi.

Please enter in Plex M7075T6S0.625x10.000

Please order 8 feet long max.

Thanks.

**DAVID DUVAL**  
*Production Engineering Supervisor*

**DART AEROSPACE**  
T 1 613 632-5200 > 234  
F 1 613 632-5246  
1 800 556- 4166  
[www.dartaerospace.com](http://www.dartaerospace.com)



*metux cotee*  
*e-mail*

JUN 21 2018

## SHIP TO:

A M CASTLE & CO  
14001 ORANGE AVE  
P.O. BOX 1402  
PARAMOUNT, CA 90723

## SOLD TO:

AM CASTLE & CO- SOLD TO  
1420 KENSINGTON RD  
SUITE 220  
OAK BROOK, IL 60523

# KAISER ALUMINUM

Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108

15000 E Euclid, Spokane Valley WA 99216

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4514402

CUSTOMER PO NUMBER: 449600-1		WORK PACKAGE:		CUSTOMER PART NUMBER: 750126		SHIP RUN/LOAD: 104304/8		GOV'T CONTRACT NUMBER:			
KAISER ORDER NO: 1249073-1		SHIP DATE: 11-JUN-2018		ALLOY: 7075		CLAD: BARE		TEMPER: T651		PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 4084 LB		QUANTITY: 9 PCS EST.		TRUCK B/L #: 2074279		GAUGE: 0.6250 IN ( 15.8750 MM)		DIAMETER/WIDTH: 48.500 IN (1231.9 MM)		LENGTH: 144.500 IN (3670.3 MM)	

MHU 2219600: LOT 268699B6: 9 pieces;

## Certified Specifications

AMS 4045/RevL  
CMMP 025/RevV

AMS-QQ-A-250/12/RevA

ASTM B 209/Rev14

Test Code: 1512

Lot: 268699B6

Cast 644

Drop 04

## Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 3 (Min:Max)	84.0 : 84.3 (579 : 581)	74.3 : 74.9 (512 : 516)	13.6 : 14.0

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.10	0.22	1.5	0.03	2.5	0.19	5.7	0.03	0.01	0.01	TOT 0.03

## ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder

## ORDER COMMENTS

AMC CA-15409A R 2





Trentwood Works

PO Box 15108, Spokane Valley WA 99215-5108  
15000 E Euclid, Spokane Valley WA 99216  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4514402

### CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- \* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- \* All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- \* was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- \* has been thermally processed in compliance with AMS 2772, where applicable.
- \* is mercury free, within the limits of detection of ASTM E1215 ( $\leq 1$  ppm).
- \* is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- \* is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates.
- \* is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- \* is free of weld repair.
- \* meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

Michael Peske, PT Lab Process Engineer



# SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL: 7075-T6/T62/T651 ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/12 OR AMS-QQ-A-250/12  
OR AMS 4045  
OR ASTM B209

OR

PURCHASE MATERIAL: 7075-T6/T62/T651 ALCLAD ALUMINUM SHEET OR PLATE

SPECIFICATION:

QQ-A-250/13 OR AMS-QQ-A-250/13  
OR AMS 4048/4049  
OR ASTM B209

PART NUMBER:

M7075T6S | TTT | X | W | WWW |  
| THK | | WIDTH |

WHERE "TTT" = THICKNESS (IN INCHES)  
AND "W.WWW" = WIDTH (IN INCHES, OPTIONAL, FOR SPECIFYING CUT PLATE)

EG. 0.063" THICK SHEET = M7075T6S.063  
EG. 3.5" WIDE BY 0.500" THICK PLATE = M7075T6S.500X3.500

PREFERRED SIZE:

.TTT BY 4FT BY 10FT FOR SHEET

RELEASED  
2017 JUN 19  
ECN 17-574

APPROVED

B	ADD. REF. TO PLATE: T651 TEMPER, AMS 4048, OPTIONAL WIDTH DIM (CARB-149)	CP	17.05.05
A	NEW ISSUE	RF	10.11.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	CP		
CHECKED	ML		
MFG. APPR.	LL		
APPROVED	WM		
DE APPR.	D9		
DATE	17.05.05		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. M7075T6S			
SHEET 1 OF 1			
SCALE			
7075-T6 SHEET/PLATE SPEC NTS			
COPYRIGHT © 2010 BY DART AEROSPACE LTD			
ALL RIGHTS RESERVED. NO PART OF THIS DOCUMENT MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.			

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M70757650.625x10.000  
 DATE: 18/07/19

PO / BATCH NO.: P0040324/5094150

MATERIAL CERT REC'D: Yes  
 QUANTITY RECEIVED: 8'  
 QUANTITY INSPECTED: 8'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 0.625"  
 THICKNESS RECEIVED: 0.625"  
 SHEET SIZE ORDERED: 10.000" x 8'  
 SHEET SIZE RECEIVED: 10.000" x 8'

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	AMS-QQ-A-250/12
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	MT-26869186
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>AT</u> DATE: <u>18/07/19</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in